

Safety Data Sheet (SDS)



Maxi Fleet

SDS Number: 10015

Revision Date: 12/22/2014

Page 1 of 4

Section 1: Product and Company Identification

Manufacturer

Bade Incorporated
48 Sulfer Spring Road
Irwin, PA 15642

Phone: 1-888-783-0363

Product Name: Maxi Fleet
Revision Date: 12/22/2014
SDS Number: 10015
CAS Number: Blend
Product Code: 10015

For emergencies contact Chemtrec at 1-800-424-9300.

2. Hazard Identification

GHS Signal Word: NONE

GHS Classifications:
Environmental, Hazards to the aquatic environment - Chronic,3

GHS Phrases:
H412 - Harmful to aquatic life with long lasting effects

This product contains hazardous material as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Contains Zinc compounds required to be reported per SARA Section 313. Contains < 1% Zn.

3. Composition/Information on Ingredients

Ingredients:

Chemical Name	Percentage	CASE #
Confidential Ingredient	50-60	Proprietary
Residual oils, petroleum, solvent dewaxed	30-40	64742-62-7
Additives	10.0-20.0	Proprietary
Hazardous or regulated material		
Zinc alkyldithiophosphate	< 5.0	Proprietary

Safety Data Sheet



Maxi Fleet

Revision Date: 12/22/2014

SDS Number: 10015

Page 2 of 4

4. First Aid Measures

- Inhalation:** If symptoms develop, move victim to fresh air.
If symptoms persist, obtain medical attention.
- Skin Contact:** Wash with soap and water.
Remove contaminated clothing and wash before reuse. Get medical attention if needed.
- Eye Contact:** Flush with water for several minutes.
If effects occur, consult a physician.
- Ingestion:** Rinse mouth with water.
If symptoms develop, obtain medical attention.

5. Fire Fighting Measures

Flash Point: 176.7 C (350.1 F)
Flash Point Method: coc

Use dry powder, foam, or carbon dioxide fire extinguishers.
Water may be ineffective in fighting an oil fire unless used by experienced fire fighters.

6. Accidental Release Measures

Contain spilled material.
Collect insuitable and properly labeled containers. Pickup excess with inert absorbent material
Keep away from drains and ground water.

7. Handling and Storage

- Handling Precautions:** Avoid contact with eyes, skin, or clothing.
Keep away from sources of ignition.
Handle with care and avoid spillage on the floor (slippage).
- Storage Requirements:** Keep away from sources of ignition.



Safety Data Sheet (SDS)

Maxi Fleet

SOS Number: 10015

Revision Date: 12/22/2014

Page 3 of 4

8. Exposure Controls/Personal Protection

Engineering Controls: All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94).

Personal Protection Equip: Use of safety glasses and gloves are recommended.

9. Physical and Chemical Properties

Appearance:	Amber	
Physical State:	Liquid	Solubility: Nil in water
Viscosity:	14 est at 100 degrees C	

10. Stability and Reactivity

Stability: Product is stable under normal conditions.

Conditions to Avoid: High temperatures and open flame.

11. Toxicological Information

Repeated skin contact with this product may cause dermatitis or an oil acne. No test data available on product.

No component is listed as a carcinogen, mutagen, or teratogen. LD50 / LC50 - No data available

12. Ecological Information

Avoid exposing to the environment, no specific aquatic data available.

13. Disposal Considerations

Dispose of in accordance with local regulations.

Do not flush to surface water or drains.

14. Transport Information

Not regulated by DOT.

Safety Data Sheet (SDS)



Maxi Fleet

SDS Number: 10015

Revision Date: 12/22/2014

Page 4 of 4

15. Regulatory Information

This material or all of its components are listed on the Inventory of Existing Chemical Substances under the Toxic Substances Control Act (TSCA).

16. Other Information

The information contained in this Safety Data Sheet relates only to the specific material designated. Bade Incorporated assumes no legal responsibility for use or reliance upon this data. This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Bade Incorporated.